

Published refereed articles 2011-2014

1. Adhikari, B. R. & Wagreich, M. 2011. Facies analysis and basin architecture of the Thakkhola-Mustang Graben (Neogene-Quaternary), central Nepal Himalaya. *Austrian Journal of Earth Sciences* 104, 66-80.
2. Adhikari, B. R. & Wagreich, M. 2013. Microfacies analysis and paleoenvironmental significance of palustrine carbonates in the Thakkhola-Mustang Graben (Nepal Himalaya). *Journal of Asian Earth Sciences* 77, 117–126.
3. Angiboust, S., Agard, P., Raimbourg, H., Yamato, P., Huet, B. 2011. Subduction interface processes recorded by eclogite-facies shear zones (Monviso, W. Alps). *Lithos* 127, 222-238.
4. Bauer, H., Hatzenbichler, G., Plan, L. & Decker, K. 2012. Strukturgeologie der Karstformen auf der Schneealpe (Stmk.). *Die Höhle* 63/1-4, 18-31.
5. Beidinger, A., Decker, K., 2011. 3D geometry and kinematics of the Lasseer flower structure: Implications for segmentation and seismotectonics of the Vienna Basin strike-slip fault, Austria. *Tectonophysics* 499, 22-40.
6. Beidinger, A., Decker, K., Roch, K., 2011. The Lasseer segment of the Vienna Basin fault system as a potential source of the earthquake of Carnuntum in the fourth century A.D. *International Journal of Earth Sciences* 100, 1315-1329.
7. Berger, A., Schneider, D.A., Grasemann, B. & Stockli, D. 2013. Footwall mineralization during Late Miocene extension along the West Cycladic Detachment System, Lavrion, Greece. *Terra Nova* 25, 181-191.
8. Berndmeyer, C., Birgel, D., Brunner, B., Wehrmann, L. M., Jöns, N., Bach, W., Arning, E. T., Föllmi, K. B. & Peckmann, J. 2012. The influence of bacterial activity on phosphorite formation in the Miocene Monterey Formation, California. *Palaeogeography, Palaeoclimatology, Palaeoecology* 317-318, 171-181.
9. Birgel, D., Feng, D., Roberts, H. H. & Peckmann, J. 2011. Changing redox conditions at cold seeps as revealed by authigenic carbonates from Alaminos Canyon, northern Gulf of Mexico. *Chemical Geology* 285, 82-96.
10. Bretis, B., Bartl, N. & Grasemann, B. 2011. Lateral fold growth and linkage in the Zagros fold and thrust belt (Kurdistan, NE Iraq). *Basin Research* 23, 615–630.
11. Bretis, B., Grasemann, B. & Conradi, F. 2013. An active fault zone in the Western Kopeh Dagh (Iran). *Austrian Journal of Earth Sciences* 105, 95-107.
12. Burtscher, A., Frehner, M. & Grasemann, B. 2012. Tectonic geomorphological investigations of antiforms using differential geometry (Permian Anticline, Northern Iraq). *AAPG Bulletin* 96, 301-314.
13. Chevalier, N., Bouloubassi, I., Birgel, D., Cremiere, A., Taphanel, M.-H. & Pierre, C. 2011. Authigenic carbonates at cold seeps in the Marmara Sea (Turkey): A lipid biomarker and stable carbon and oxygen isotope investigation. *Marine Geology* 288, 112-121.
14. Chevalier, N., Bouloubassi, I., Birgel, D., Taphanel, M. H. & Lopez-Garcia, P. 2013. Microbial methane turnover at Marmara Sea cold seeps: a combined 16S rRNA and lipid biomarker investigation. *Geobiology* 11, 55-71.
15. Cook, M. S., Keigwin, L. D., Birgel, D. & Hinrichs, K. U. 2011. Repeated pulses of vertical methane flux recorded in glacial sediments from the southeast Bering Sea. *Paleoceanography* 26, doi:10.1029/2010PA001993, 2011.
16. De Boever, E., Birgel, D., Muchez, P., Peckmann, J., Dimitrov, L., & Swennen, R. 2011. Fabric and formation of grapestone concretions within an unusual ancient methane seep system (Eocene, Bulgaria). *Terra Nova* 23, 56-61.
17. Draganits, E., Grasemann, B., Janda, C., Hager, C., Preh, A., 2014. 300 MW Baspa II — India's largest private hydroelectric facility on top of a rock avalanche-dammed palaeo-

- lake (NW Himalaya): Regional geology, tectonic setting and seismicity. *Engineering Geology* 169, 14-29.
18. Eickhoff M, Birgel D, Talbot HM, Peckmann J, Kappler A 2013. Bacteriohopanoid inventory of *Geobacter sulfurreducens* and *Geobacter metallireducens*. *Organic Geochemistry* 58, 107-114.
 19. Eickhoff, M., Birgel, D., Talbot, H. M., Peckmann, J. & Kappler, A. 2013. Oxidation of Fe(II) leads to increased C-2 methylation of pentacyclic triterpenoids in the anoxygenic phototrophic bacterium *Rhodopseudomonas palustris* strain TIE-1. *Geobiology* 11, 268-278.
 20. Eickhoff, M., Birgel, D., Talbot, H. M., Peckmann, J. & Kappler, A. 2014. Diagenetic degradation products of bacteriohopanepolyols produced by *Rhodopseudomonas palustris* strain TIE-1. *Organic Geochemistry* 68, 31-38
 21. Ertl, A., Draganits, E., Grasmann, B., Ntaflos, T., Giester, G. & Tillmanns, E. 2011. Synkinematic tourmaline growth on brittle-ductile normal faults (Despotiko Island, Aegean). *Canadian Mineralogist* 49, 105-116.
 22. Exner, U., Kaiser, J., Gier, S. 2013. Deformation bands evolving from dilation to cementation bands in a hydrocarbon reservoir (Vienna Basin, Austria). *Marine and Petroleum Geology* 43, 504-515.
 23. Feng, D., Lin, Z., Bian, Y., Chen, D., Peckmann, J., Bohrmann, G. & Roberts, H. H. 2013. Rare earth elements of seep carbonates: Indication for redox variations and microbiological processes at modern seep sites. *Journal of Asian Earth Sciences* 65, 27-33.
 24. Fiebig, M., Preusser, F., Decker, K. & Schlüchter, C. 2011. Preface: special section of papers dealing with overdeepened basins and valleys in the alpine realm. *Swiss Journal of Geoscience* 103: 327-328.
 25. Frehner, M., Reif, D. & Grasmann, B. 2012. Mechanical versus kinematic shortening reconstructions of the Zagros High Folded Zone (Kurdistan Region of Iraq). *Tectonics* 31, doi:10.1029/2011TC003010.
 26. Gangl, G. & Decker, K. 2011. Österreichische Starkbeben mit Intensität ab Grad 7. *Österreichische Ingenieur- und Architekten-Zeitschrift* 156: 229-237.
 27. Goedert, J. L., Peckmann, J., Benham, S. R. & Janssen, A. W. 2013. First record of the Eocene pteropod *Heliconoides nitens* (Gastropoda: Thecosomata: Limacinidae) from the Pacific Basin. *Proceedings of the Biological Society of Washington* 126, 72-82.
 28. Grasmann, B. & Schmalholz, S. 2012. Lateral fold growth and fold linkage. *Geology* 40, 1039-1042.
 29. Grasmann, B. & Tschegg, C. 2012. Localization of deformation triggered by chemo-mechanical feedback processes. *Geological Society of America Bulletin* 124, 737-745.
 30. Grasmann, B., Exner, U. & Tschegg, C. 2011. Displacement-length scaling of brittle faults in ductile shear. *Journal of Structural Geology* 33, 1650-1661.
 31. Grasmann, B., Schneider, D. A., Stöckli, D. & Iglseider, C. 2012. Miocene bivergent crustal extension in the Cyclades (Greece). *Lithosphere* 4, 23-39.
 32. Gruber, W., Sachsenhofer, R. F. & Waggreich, M. 2012. Neogene pull-apart basins in the Eastern Alps (Austria). *Journal of Alpine Geology* 54, 293-307.
 33. Guido, A., Heindel, K., Birgel, D., Rosso, A., Mastandrea, A., Sanfilippo, R., Russo, F. & Peckmann, J. 2013. Pendant bioconstructions cemented by microbial carbonate in submerged marine caves (Holocene, SE Sicily). *Palaeogeography, Palaeoclimatology, Palaeoecology* 388, 166-180.
 34. Guillou-Frottier, L., Burov, E., Cloetingh, S., Le Goff, E., Deschamps, Y., Huet, B., Bouchot, V. 2012. Plume-induced dynamic instabilities near cratonic blocks: Implications for P-T-t paths and metallogeny. *Global and Planetary Change* 90-91, 37-50.
 35. Hagemann, A., Leefmann, T., Peckmann, J., Hoffmann, V.-E. & Thiel, V. 2013. Biomarkers from individual carbonate phases of an Oligocene cold-seep deposit, Washington State, USA. *Lethaia* 46, 7-18.

36. Harzhauser, M., Peckmann, J., Birgel, D., Draganits, E., Mandic, O., Theobaldt, D. & Huemer, J. 2014. Stromatolites in the Paratethys Sea during the Middle Miocene climate transition as witness of the Badenian salinity crisis. *Facies*, in press.
37. Hatem, E., Tribouvillard, N., Averbuch, O., Vidier, D., Sansjofre, P., Birgel, D., & Guillot, F. 2014. Oyster patch reefs as indicators of fossil hydrocarbon seeps induced by synsedimentary faults. *Marine and Petroleum Geology*, in press.
38. Heindel, K., Birgel, D., Brunner, B., Thiel, V., Westphal, H., Gischler, E., Ziegenbalg, S. B., Cabioch, G., Sjövall, P. & Peckmann, J. 2012. Post-glacial microbialite formation in coral reefs of the Pacific, Atlantic, and Indian Oceans. *Chemical Geology* 304-305, 117-130.
39. Heindel, K., Richoz, S., Birgel, D., Brandner, R., Klügel, A., Krystyn, L., Baud, A., Horacek, M., Mohtat, T. & Peckmann, J. 2014. Biogeochemical formation of calyx-shaped carbonate crystal fans in the subsurface of the Early Triassic seafloor. *Gondwana Research*, in press.
40. Himmler, T., Brinkmann, F., Bohrmann, G. & Peckmann, J. 2011. Corrosion patterns of seep-carbonates from the eastern Mediterranean Sea. *Terra Nova* 23, 206-212.
41. Himmler, T., Haley, B. A., Torres, M. E., Klinkhammer, G. P., Bohrmann, G. & Peckmann, J. 2013. Rare earth element geochemistry in cold-seep pore waters of Hydrate Ridge, northeast Pacific Ocean. *Geo-Marine Letters* 33, 369-379.
42. Hintersberger, E., Thiede, R., Strecker, M. 2011. The role of extension during brittle deformation within the NW Indian Himalaya. *Tectonics* 30, doi: 10.1029/2010TC002822
43. Hofer, G., Draganits, E., Wagreich, M., Hofmann, C.-C., Reischenbacher, D., Neuhuber, S., Grundtner, M.-L. & Bottig, M. 2011. Stratigraphy and geochemical characterisation of Upper Cretaceous non-marine – marine cycles (Grünbach Formation, Gosau Group, Austria). *Austrian Journal of Earth Sciences* 104, 90-107.
44. Hofer, G., Wagreich, M. & Neuhuber, S. 2013. Geochemistry of fine-grained sediments of the upper Cretaceous to Paleogene Gosau Group (Austria, Slovakia): Implications for paleoenvironmental and provenance studies. *Geoscience Frontiers* 4, 449-468. DOI 10.1016/j.gsf.2012.11.009
45. Hofer, G., Wagreich, M. & Spötl, C. 2013. Carbon, oxygen and strontium isotopes as a tool to decipher marine and non-marine environments: Implications from a case study of cyclic Upper Cretaceous sediments. In: Bojar, A.-V., Melinte-Dobrinescu, M. C. & Smit, J. (Eds.): *Isotopic Studies in Cretaceous Research*. Geological Society, London, Special Publication 382. DOI 10.1144/SP382.5.
46. Hoffmann-Sell, L., Birgel, D., Arning, E. T., Föllmi, K. B. & Peckmann, J. 2011. Archaeal lipids in Neogene dolomites (Monterey and Sisquoc Formations, California) – Planktic versus benthic archaeal sources. *Organic Geochemistry* 42, 593-604.
47. Hohenegger, J. & Wagreich, M. 2011. Time calibration of sedimentary sections based on insolation cycles using combined cross-correlation: dating the gone Badenian stratotype (Middle Miocene, Paratethys, Vienna Basin, Austria) as an example. *International Journal of Earth Sciences* 101, 339-349. DOI 10.1007/s00531-011-0658-y.
48. Hohenegger, J., Coric, S. & Wagreich, M. 2014. Timing of the Middle Miocene Badenian Stage of the Central Paratethys. *Geologica Carpathica* 65, in press.
49. Holohan, E.P., Walter, T.R., Schöpfer, M.P.J., Walsh, J.J., Van Wyk de Vries, B. & Troll, V.R. 2013. Origins of oblique-slip faulting during caldera subsidence. *Journal of Geophysical Research* 118, 1778-1794, doi:10.1002/jgrb.50057.
50. Homolova, D., Lomax, J., Spacek, P & Decker, K. 2012. Pleistocene terraces in the Vlatva River in the Budejovice Basin (Southern Bohemian Massif): New insights into sedimentary history constrained by luminescence data. *Geomorphology* 161-162, 58-72.
51. Homolova, D., Terhorst, B., Frank, C. & Thiel, C. 2012. Pleniglacial palaeoenvironmental conditions in the northern Lake Neusiedl region. *Zeitschrift für Geomorphologie* 56, Supplementary Issue 4, 3-17.

52. Hu, X., Wagreich, M. & Yilmaz, I.O. 2012. Marine rapid environmental/climatic change in the Cretaceous greenhouse world. *Cretaceous Research*, doi:10.1016/j.cretres.2012.04.012.
53. Huet, B., Le Pourhiet, L., Labrousse, L., Burov, E., Jolivet, L., 2011. Formation of metamorphic core complex in inherited wedges: A thermomechanical modelling study, *Earth and Planetary Science Letters* 309, 249-257.
54. Huet, B. Yamato, P., B. & Grasemann, B. 2014. The Minimized Power Geometric model: an analytical mixing model for calculating polyphase rock viscosities consistent with experimental data. *Journal of Geophysical Research*, in press.
55. Iglseider, C., Grasemann, B., Rice, A. H. N., Petrakakis, K. & Schneider, D. 2011. Miocene south-directed low-angled fault evolution on Kea Island (West Cylcadic Detachment System, Greece). *Tectonics* 30. Doi: 10.1029/2010TC002802.
56. Jolivet, L., Faccenna, C., Huet, B., Labrousse, L., Le Pourhiet, L., Lacombe, O., Lecomte, E., Burov, E., Denèle, Y., Brun, J.-P., Philippon, M., Paul, A., Salaün, G., Karabulut, H., Piromallo, C., Monié, P., Gueydan, F., Okay, A.I., Oberhänsli, R., Pourteau, A., Augier, R., Gadenne, L., Driussi, O. 2013. Aegean tectonics: Strain localisation, slab tearing and trench retreat. *Tectonophysics* 597–598, 1–33.
57. Kanjanapayont, P., Grasemann, B., Edwards, M. & Fritz, H. 2012. Quantitative kinematic analysis within the Khlong Marui shear zone, southern Thailand. *Journal of Structural Geology* 35, 17-27.
58. Kanjanapayont, P., Klötzli, U., Thöni, M., Grasemann, B. & Edwards, M. 2012. Rb-Sr, Sm-Nd, and U-Pb geochronology of the rocks within the Khlong Marui shear zone, southern Thailand. *Journal of Asian Earth Sciences* 56, 263-275.
59. Kellermann, M. Y., Schubotz, F., Elvert, M., Lipp, J. S., Birgel, D., Prieto Mollar, X., Dubilier, N. & Hinrichs, K.-U. 2012. Symbiont-host relationships in chemosynthetic mussels: A comprehensive lipid biomarker study. *Organic Geochemistry* 43, 112-124.
60. Kiel, S., Birgel, D., Campbell, K. A., Crampton, J. S., Schiøler, P. & Peckmann, J. 2013. Cretaceous methane-seep deposits from New Zealand and their fauna. *Palaeogeography, Palaeoclimatology, Palaeoecology* 390, 17-34.
61. Kiel, S., Peckmann, J. & Simon, K. 2013. Catshark egg capsules from a Late Eocene deep-water methane-seep deposit in western Washington State, USA. *Acta Palaeontologica Polonica* 58, 77-84.
62. Kinscher, J., Krüger, F., Woith, H., Lühr, B., Hintersberger, E., Irmak, T., Baris, S. 2012. Seismotectonics of the Armutlu peninsula (Marmara Sea, NW Turkey) from geological field observation and regional moment tensor inversion. *Tectonophysics* 608, 980-995.
63. Kohlmayer, N. & Grasemann, B. 2013. Ambiguous versus non-ambiguous characterization of components from pictures of cataclasites. *Central European Journal of Geosciences* 5, 576-587.
64. Kohlmayer, N. & Grasemann, B. 2013. Quantitative characterization of cataclasites using a statistical approach (analysis of variance). *Austrian Journal of Earth Sciences* 105, 48-60.
65. Kuechler, R. R., Birgel, D., Kiel, S., Freiwald, A., Goedert, J. L., Thiel, V. & Peckmann, J. 2012. Miocene methane-derived carbonates from southwestern Washington, USA and a model for silicification at seeps. *Lethaia* 45, 259-273.
66. Lacombe, O., Grasemann, B. & Simpson, G. 2011. Introduction: geodynamic evolution of the Zagros, *Geological Magazine* 148, 689-691.
67. Law, R. D., Stahr, D. W., Francis, M. K., Ashley, K. T., Grasemann, B. & Ahmad, T. 2013. Deformation temperatures and flow vorticities near the base of the Greater Himalayan Series, Sutlej Valley and Shimla Klippe, NW India. *Journal of Structural Geology* 54, 21-53.

68. Lazăr, I., Panaiotu, C. E., Grigore, D., Sandy, M. R. & Peckmann, J. 2011. An unusual brachiopod assemblage in a Late Jurassic (Kimmeridgian) stromatactis mud-mound of the Eastern Carpathians (Hăghimaş Mountains), Romania. *Facies* 57, 627-647.
69. Lein, R., Popp, F. & Wagneich, M. 2012. Geologische Sammlung. In: Feigl, C. (Ed.): *Schaukästen der Wissenschaft. Die Sammlungen an der Universität Wien*. Wien (Böhlau-Verlag), 85-87.
70. Le Pourhiet, L., Huet, B., May, D.A., Labrousse, L., Jolivet, L. 2012. Kinematic interpretation of the 3D shapes of metamorphic core complexes. *Geochemistry, Geophysics Geosystems* 13, doi:10.1029/2012GC004271.
71. Le Pourhiet, L., Huet, B., Labrousse, L., Yao, K., Agard, P., Jolivet, L., 2013, Strain localisation in mechanically layered rocks beneath detachment zones: insights from numerical modelling. *Solid Earth* 4, 135–152.
72. Lindtke, J., Ziegenbalg, S. B., Brunner, B., Rouchy, J. M., Pierre, C. & Peckmann, J. 2011. Authigenesis of native sulphur and dolomite in a lacustrine evaporitic setting (Hellín basin, Late Miocene, SE Spain). *Geological Magazine* 148, 655-669.
73. Mohamed, O. & Wagneich, M. 2013. Organic-walled dinoflagellate cyst biostratigraphy of the Well Höflein 6 in the Cretaceous-Paleogene Rhenodanubian Flysch Zone (Vienna Basin, Austria). *Geologica Carpathica* 64, 209-230.
74. Nasir, A., Lenhardt, W., Hintersberger, E., Decker, K. 2013. Assessing the completeness of historical and instrumental earthquake data in Austria and the surrounding areas. *Austrian Journal of Earth Sciences* 106, 90-102.
75. Natalicchio, M., Birgel, D., Dela Pierre, F., Martire, L., Clari, P., Spötl, C. & Peckmann, J. 2012. Polyphasic carbonate precipitation in the shallow subsurface: insights from microbially-formed authigenic carbonate beds in upper Miocene sediments of the Tertiary Piedmont Basin (NW Italy). *Palaeogeography, Palaeoclimatology, Palaeoecology* 329-330, 158-172.
76. Natalicchio, M., Dela Pierre, F., Clari, P., Birgel, D., Cavagna, S., Martire, L. & Peckmann, J. 2013. Hydrocarbon seepage during the Messinian salinity crisis in the Tertiary Piedmont Basin (NW Italy). *Palaeogeography, Palaeoclimatology, Palaeoecology* 390, 68-80.
77. Pavlishina, P. & Wagneich, M. 2012. Biostratigraphy and paleoenvironments in a northwestern Tethyan Cenomanian-Turonian boundary section (Austria) based on palynology and calcareous nannofossils. *Cretaceous Research*, 38, 103-112. doi:10.1016/j.cretres.2012.02.005.
78. Peckmann J, Sandy MR, Taylor DG, Gier S, Bach W 2013. An Early Jurassic brachiopod-dominated seep deposit enclosed by serpentinite, eastern Oregon, USA. *Palaeogeography, Palaeoclimatology, Palaeoecology* 390, 4-16
79. Peckmann, J., Kiel, S., Sandy, M. R., Taylor, D.G., & Goedert, J. L. 2011. Mass occurrences of the brachiopod *Halorella* in Late Triassic methane-seep deposits, eastern Oregon. *Journal of Geology* 119, 207-220.
80. Pestitschek, B., Gier, S., Essa, M., Kurzweil, H. 2012. Effects of weathering on glauconite: Evidence from the Abu Tartur plateau, Egypt. *Clays and Clay Minerals* 60, 76-88.
81. Popotnig, A., Tschegg, D. & Decker, K. 2013. Morphometric analysis of a reactivated Variscan fault in the southern Bohemian Massif (Budejovice basin, Czech Republic). *Geomorphology* 197, 108-122.
82. Rath, A., Exner, U., Tschegg, C., Grasemann, B., Laner, R., Draganits, E. 2011. Diagenetic control of deformation mechanisms in deformation bands in a carbonate grainstone. *AAPG Bulletin* 95, 1369-1381.
83. Reif, D., Decker, K., Grasemann, B. & Peresson, H. 2012. Fracture patterns in the Zagros fold-and-thrust belt, Kurdistan Region of Iraq. *Tectonophysics* 576-577, 46-62.
84. Reif, D., Grasemann, B. & Faber, R. 2011. Quantitative structural analysis using remote sensing data (Kurdistan, NE Iraq). *AAPG Bulletin* 95, 941-956.

85. Rice, A. H. N. 2014. Restoration of the External Caledonides, Finnmark, North Norway. In: Corfu, F., Gasser, D. & Chew, D. M. (Eds.): *New Perspectives on the Caledonides of Scandinavia and Related Areas*. Geological Society, London, Special Publication 390, 30p. <http://dx.doi.org/10.1144/SP390.18>
86. Rice, A. H. N., Edwards, M. B. & Hansen, T. A. 2012. Neoproterozoic glacial and associated facies in the Tanafjord-Varangerfjord area, Finnmark, North Norway. *Geological Society of America, Field Guide* 26, 83 p.
87. Rice, A. H. N., Edwards, M. B., Hansen, T. A., Arnaud, E. & Halverson, G. P. 2011. Glacigenic rocks of the Smalfjord and Mortensnes Formations, Vestertana Group, E. Finnmark, Norway. In: Arnaud, E., Halverson, G. P. & Shields-Zhou G. (Eds.): *The Geological Record of Neoproterozoic Glaciations*. Geological Society, London, Memoir 36, 593-602. Doi: 10.1144/M36.57.
88. Rice, A. H. N., Iglseider, C., Grasemann, B., Zamoyli, A., Nikolakopoulos, K. G., Mitropoulos, D., Voit, K., Müller, M., Draganits, E., Rockenschaub, M., Tsombos, P. I. 2012. A new geological map of the crustal-scale detachment on Kea (Western Cyclades, Greece). *Austrian Journal of Earth Sciences* 105, 108-124.
89. Salcher, B. C., Meurers, B., Smit, J., Decker, K., Hölzel, M. & Waggreich, M. 2012. Strike-slip tectonics and Quaternary basin formation along the Vienna Basin fault system inferred from Bouguer gravity derivatives. *Tectonics* 31, TC3004, doi:10.1029/2011TC002979.
90. Sandy, M. R., Lazăr, I., Peckmann, J., Birgel, D., Stoica, M. & Roban, R. D. 2012. Methane-seep brachiopod fauna within turbidites of the Sinaia Formation, Eastern Carpathian Mountains, Romania. *Palaeogeography, Palaeoclimatology, Palaeoecology* 323-325, 42-59.
91. Schneider, D. A., Senkowski, C., Vogel, H., Grasemann, B., Iglseider, C. & Schmitt, A. K. 2011. Eocene tectonometamorphism on Serifos (western Cyclades) deduced from zircon depth- profiling geochronology and mica thermochronology. *Lithos* 125, 151-172.
92. Schöpfer, M. P. J., Childs, C. & Manzocchi, T. 2013. Three-dimensional failure envelopes and the brittle-ductile transition. *Journal of Geophysical Research* 118, 1378-1392, doi:10.1029/jgrb.50081.
93. Schöpfer, M.P.J. & Childs, C. 2013. The orientation and dilatancy of shear bands in a bonded particle model for rock. *International Journal of Rock Mechanics & Mining Sciences* 57, 75-88, doi:10.1016/j.ijrmms.2012.07.019.
94. Spahic, D., Exner, U. & Grasemann, B. 2013. Identifying fault segments from 3D fault drag analysis. *Journal of Structural Geology* 55, 182-195.
95. Stern, G. & Waggreich, M. 2013. Provenance of the Upper Cretaceous to Eocene Gosau Group around and beneath the Vienna Basin (Austria and Slovakia). *Swiss Journal of Geosciences*, DOI 10.1007/s00015-013-0150-8.
96. Stodt, F., Rice, A. H. N., Björklund, L., Bax, G., Halverson, G. P. & Pharaoh, T. C. 2011. Ediacaran glaciations in the Caledonides of NW Scandinavia. In: Arnaud, E., Halverson, G. P. & Shields-Zhou G. (Eds.): *The Geological Record of Neoproterozoic Glaciations*. Geological Society, London, Memoir 36, 603-611. Doi: 10.1144/M36.58.
97. Thomas, A. L., Fujita, K., Iryu, Y., Bard, E., Cabioch, G., Camoin, G., Cole J. E., Deschamps, P., Durand, N., Hamelin, B., Heindel, K., Henderson, G. M., Mason, A. J., Matsuda, H., Ménabréaz, L., Omori, A., Quinn, T., Sakai, S., Sato, T. Sugihara K., Takahashi, Y., Thouveny, N., Tudhope, A. W., Webster, J., Westphal, H. & Yokoyama, Y. 2012. Assessing uplift rates and paleo water-depths for Tahiti reefs using U-Th chronology of altered corals. *Marine Geology* 295-298, 86-94.
98. Thöni, M., Miller, C., Hager, C., Grasemann, B. & Horschinegg, M. 2012. New geochronological constraints on the thermal and exhumation history of the Lesser and Higher Himalayan Crystalline Units in the Kullu-Kinnaur area of Himachal Pradesh (India). *Journal of Asian Earth Sciences* 52, 98-116.

99. Treude, T., Kiel, S., Linke, P., Peckmann, J. & Goedert, J. L. 2011. Elasmobranch egg capsules associated with modern and ancient cold seeps: a nursery for marine deep-water predators. *Marine Ecology Progress Series* 437, 175-181
100. Tuitz, C., Exner, U., Frehner, M. & Grasemann, B. 2012. The impact of ellipsoidal particle shape on pebble breakage in gravel. *International Journal of Rock Mechanics and Mining Sciences*. 54, 70-79.
101. Tuitz, C., Exner, U., Preh, A., Grasemann, B. 2012. The influence of particle orientation on the loading condition of pebbles in fluvial gravel. *Granular Matter* 14, 639-649, doi: 10.1007/s10035-012-0365-9.
102. Tschegg, D. & Decker, K. 2013. Distinguishing Quaternary and preQuaternary clastic sediments in the vicinity of Ceske Budejovice (Southern Bohemian Massif, Czech Republic). *Austrian Journal of Earth Sciences* 106/1, 72-89.
103. Voorn, M., Exner, U. & Rath, A. 2013. Multiscale Hessian fracture filtering for the enhancement and segmentation of narrow fractures in 3D image data. *Computers and Geosciences* 57, 44-53.
104. Wagreich, M. 2012. "OAE 3" – a low- to mid-latitude Atlantic oceanic event during the Coniacian-Santonian. *Climate of the Past Discussions* 8, 1209–1227. doi:10.5194/cpd-8-1209-2012.
105. Wagreich, M. 2012. "OAE 3" – regional Atlantic organic carbon burial during the Coniacian–Santonian. *Climate of the Past* 8, 1447–1455, doi:10.5194/cp-8-1447-2012.
106. Wagreich, M. 2013. Steine unter unseren Füßen - die geologischen Landschaften Österreichs. *Schriften Verein zur Verbreitung naturwissenschaftlicher Kenntnisse* 151-152, 63-68.
107. Wagreich, M. 2013. Stratigraphie und Lithofazies der Branderfleck-Formation und der Gosau-Gruppe (Oberkreide) von Lilienfeld (ÖK56 St. Pölten). *Arbeitstagung GBA '13, Melk*, 23-27. September 2013, 20-37.
108. Wagreich, M., Egger, H., Gebhardt, H., Mohammed, O., Spötl, C., Koukal, V. & Hobiger, G. 2011. A new expanded record of the Paleocene-Eocene transition in the Gosau Group of Gams (Eastern Alps, Austria). *Annalen des Naturhistorischen Museums Wien, Serie A*, 113, 35-65.
109. Wagreich, M., Hohenegger, J. & Neuhuber, S. 2012. Nannofossil biostratigraphy, strontium and carbon isotope stratigraphy, cyclostratigraphy and an astronomically calibrated duration of the Late Campanian *Radotruncana calcarata* Zone. *Cretaceous Research* 38, 80-96. doi:10.1016/j.cretres.2012.04.006.
110. Wagreich, M., Ilickovic, T., Popovic, A., Porpaczy, C., Steinbrener, J., Wessely, G. 2011. Biostratigraphy and sedimentology of Campanian deep-water sections (Nierental Formation, Gosau Group) in Lower Austria. *Austrian Journal of Earth Sciences* 104, 108-121.
111. Watremez, L., Burov, E., d'Acremont, E., Leroy S., Huet, B., Le Pourhiet, L., Bellahsen, N. 2012. Buoyancy and localizing properties of continental mantle lithosphere: Insights from thermomechanical models of the eastern Gulf of Aden. *Geochemistry, Geophysics Geosystems* 14, doi: 10.1002/ggge.20179.
112. Zeithofer, H., Schneider, D., Grasemann, B., Petrakakis, K. & Thöni, M. 2014. Polyphase tectonics and late Variscan extension in Austria (Moldanubian Zone, Strudengau area). *International Journal of Earth Sciences* 103, 83-102.
113. Ziegenbalg, S. B., Berthold, C., Kappler, A. & Peckmann, J. 2011. Gypsum whiskers in Messinian evaporites identified by μ -XRD2. *Facies* 57, 249-253.
114. Ziegenbalg, S. B., Birgel, D., Hoffmann-Sell, L., Pierre, C., Rouchy, J. M., & Peckmann, J. 2012. Anaerobic oxidation of methane in hypersaline Messinian environments revealed by ^{13}C -depleted molecular fossils. *Chemical Geology* 292-293, 140-148.